

## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: \_\_\_\_\_

DATE : 4/13/2011TO SPE OF : ART UNIT 1624SUBJECT : Request for Certificate of Correction for Appl. No.: 10/596731 Patent No.: 7871998 B2CofC mailroom date: 4/4/2011

Please respond to this request for a certificate of correction within 7 days.

**FOR IFW FILES:**

Please review the requested changes/corrections as shown in the **COCIN** document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code **COCX**.

**FOR PAPER FILES:**

Please review the requested changes/corrections as shown in the attached certificate of correction. Please complete this form (see below) and forward it with the file to:

**Certificates of Correction Branch (CofC)**  
**Randolph Square – 9D10-A**  
**Palm Location 7580**

**Virginia Tolbert**  
**Certificates of Correction Branch**  
**571-272-0460**

Thank You For Your Assistance

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☐ **Approved**

All changes apply.

☐ **Approved in Part**Specify below which changes **do not** apply.☒ **Denied**

State the reasons for denial below.

Comments: Amtdt to column 126 is defective a) Line numbers are incorrect.  
the correct line numbers are 54-55 a) Term C 16alky/15 should be C1-6alky/15.  
The Amtdt to column 127 is defective because the line numbers are  
incorrect. The correct line numbers are 65-67.

JAMES O. WILSON

**SUPERVISORY PATENT EXAMINER**  
**TECHNOLOGY CENTER 1600**

SPE

1624  
**Art Unit**